

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L28	96	26 and 27	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:29
L27	780	((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible) and correlat\$4 and (perform\$4 near\$5 analysis)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:29
L26	96	24 and 25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:29
		((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near\$5 analysis)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:29
L25	76523	(management near\$3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:28
L24	96	22 and 23	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:28
L23	972	((gateway and (management near\$5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4)) and (first second)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:28
L22	107	17 and 21	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:28
L21	815	19 and 20	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:27
L17	121	16 and (((management near\$3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)) and (entit\$4 same (information data message\$2))) and (format\$4 same compatib\$4)) and (first and second)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:27
L20	15666	((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:26

L19	15296	((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:26
L18	1030	(gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:26
L16	403	15 and (management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:25
L14	2514	(management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:14
L15	10504	(plurality near4 management\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:12
L13	1	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 (related adj message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:12
L12	1031	gateway and (management near5 platform\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:11
L11	35886	((first second) and receiv\$4 and send\$4) and (management near5 system\$2) and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:11
L10	107	((first adj management) near3 (system device network computer node)) and ((second adj management) near3 (system device network computer node))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:10
		(first second)) and receiv\$4) and send\$4) and (management near5 system\$2)) and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:10
		((first second)) and receiv\$4) and send\$4) and (management near5 system\$2)) and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:10

L9	780	((first second) and receive\$4) and send\$4) and (management near5 system\$2)) and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:10
		((format\$4 convert\$4) same (event\$2 message\$4 data) same compatible) and correlate\$4 and (perform\$4 near5 analysis)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:09
		((format\$4 convert\$4) same (event\$2 message\$4 data) same compatible)) and correlate\$4) and (perform\$4 near5 analysis)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:09
L8	1030	gateway and (management near5 platform\$2) and (alarm\$2 message\$2 data event\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:08
L7	115	((((((determine\$4 same (event\$2 data message\$2) same relate\$4 same (first second))) and (receive\$4 same (event data message\$4) same first)) and ((format\$4 convert\$4) same (event\$2 message\$4 data) same compatible)) and correlate\$4) and (perform\$4 near5 analysis)) and gateway\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:08
		gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:08
		gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:08
L5	6	4 and ((format\$4 convert\$4) near6 (event\$2 near3 message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:06
L4	166	2 and ((first near4 management\$2) and (second near4 management\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:05
L3	4	(event near3 message\$2) near6 (correspond\$4 relate\$) near5 (entity\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:05
L2	4256	(management near4 (network system)) and (event near3 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:03

L1	9918	709/206,223,224,246.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/16 15:01
S58	1	"5764955".pn. and interfac\$4	USPAT	OR	OFF	2004/05/16 16:31
S57	1	"5764955".pn.	USPAT	OR	OFF	2004/05/16 16:31
		"1" and (AVS (anonymous adj voice adj system)	USPAT	OR	OFF	2004/05/16 16:31
		"1" and	USPAT	OR	OFF	2004/05/16 16:31
S56	78	((first adj management) near3 (system device network computer node)) and ((second adj management) near3 (system device network computer node))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 11:56
S55	75	((first adj management) near3 (system device network computer)) and ((second adj management) near3 (system device network computer))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 11:55
S54	1136	((((management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)) and (entit\$4 same (information data message\$2))) and (format\$4 same compatib\$4)) and (first and second)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:08
S52	1206	((((management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)) and (entit\$4 same (information data message\$2))) and (format\$4 same compatib\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:08
S53	201	((((management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)) and (entit\$4 same (information data message\$2))) and (format\$4 same compatib\$4)) and ((first second) near3 management)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:03
		"20" and ((first second) near3 management))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:03
S51	14515	((management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)) and (entit\$4 same (information data message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:01
S50	61415	(management near3 (system\$2 device server\$2 computer\$2)) same (message\$2 data information)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 16:00

S49	2	("5764955" "6026091").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/29 10:35
S48	1	"6026091".pn. and (format\$4 convert\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/29 10:34
S47	1	"6026091".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/28 16:21
S46	503	(((((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4)) and (first second)) and receiv\$4) and send\$4) and (management near5 system\$2)) and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/28 16:21
S45	1738771	"6" and (format\$4 convert\$4 compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:07
S44	525	(((((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4)) and (first second)) and receiv\$4) and send\$4) and (management near5 system\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:07
S43	615	(((((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4)) and (first second)) and receiv\$4) and send\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:05
S42	661	((((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4)) and (first second)) and receiv\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:05
S41	661	((((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4)) and (first second)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:05
S40	677	((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and receiv\$4 and (relat\$4 correlat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 10:04

S39	677	((gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)) and (receiv\$4 and (relat\$4 correlat\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/22 09:57
S38	699	(gateway and (management near5 platform\$2)) and (alarm\$2 message\$2 data event\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:27
S37	700	gateway and (management near5 platform\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:27
S36	53	(((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first)) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)) not ((((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first)) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)) and gateway\$2) and (event\$2 alarm\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:26
S35	108	(((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first)) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)) and gateway\$2) and (event\$2 alarm\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:25
S34	110	(((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first)) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)) and gateway\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:24

S33	161	(((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first)) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4) and (perform\$4 near5 analysis)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:23
S32	292	(((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first)) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)) and correlat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:22
S31	650	(((((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first)) and ((format\$4 convert\$4) same (event\$2 messag\$4 data) same compatible)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:20
S30	11790	((determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))) and (receiv\$4 same (event data messag\$4) same first)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:19
S29	26503	(determin\$4 same (event\$2 data message\$2) same relat\$4 same (first second))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/10/21 16:18
S28	2	("6175619" "5818836").pn. and without	USPAT	OR	OFF	2003/01/15 12:15
S24	2	("6175619" "5818836").pn. and (teleconference\$2 conference\$2)	USPAT	OR	OFF	2003/01/15 12:15
S27	1	((("6175619" "5818836").pn. and (teleconference\$2 conference\$2)) and (AVS (anonymous adj voice adj system))	USPAT	OR	OFF	2003/01/15 11:36
S26	2	((("6175619" "5818836").pn. and (teleconference\$2 conference\$2)) and server\$2	USPAT	OR	OFF	2003/01/15 11:36
S25	2	((("6175619" "5818836").pn. and (teleconference\$2 conference\$2)) and switch\$4	USPAT	OR	OFF	2003/01/15 10:44
S23	1	("5818836".pn. and (voice process\$4 card\$2)) and message\$2	USPAT	OR	OFF	2003/01/15 09:18
S22	1	"5818836".pn. and (voice process\$4 card\$2)	USPAT	OR	OFF	2003/01/14 17:57
S21	1	"5818836".pn.	USPAT	OR	OFF	2003/01/14 17:55
S1	1491	709/203,207.ccls.	USPAT	OR	OFF	2003/01/14 17:55

S20	1	("5473608".pn. and (distribution adj unit\$2)) and plurality	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 19:55
S19	1	"5473608".pn. and (distribution adj unit\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 19:55
S18	1	"5473608".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 19:46
S16	292	(((((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 message\$2)) and (file\$2 near7 message\$2)) and (file\$2 near6 message\$2)) and (file\$2 near5 message\$2)) and (file\$2 near3 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 19:40
S17	18	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (probable adj cause\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 19:02
S15	1	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 (related adj message\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 18:44
S14	361	(((((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 message\$2)) and (file\$2 near7 message\$2)) and (file\$2 near6 message\$2)) and (file\$2 near5 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 18:43
S13	395	(((((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 message\$2)) and (file\$2 near7 message\$2)) and (file\$2 near6 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 18:43

S12	409	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 message\$2)) and (file\$2 near7 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 18:42
S11	439	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file\$2 near10 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 18:42
S9	1252	(management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 18:42
S10	0	((management adj (information data)) and distribut\$4 and (forward\$4 send\$ receiv\$4) and analy\$4 and ((file data) near10 message\$2)) and (file42 near5 message\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/01/11 18:41
S8	1	"6131112".pn.	USPAT	OR	OFF	2002/12/30 10:33
S7	1	"5473608".pn. and (distribution adj unit\$2)	USPAT	OR	OFF	2002/12/30 10:32
S6	1	"5473608".pn.	USPAT	OR	OFF	2002/12/30 10:28
S5	22	("6131112" "5473608" "5680552" "5450408" "5317568" "5079765" "9508794" "9423514").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/07/11 09:37
S4	6	(709/203,207.ccls. and (management adj information)) and (management near5 platform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/07/11 09:35
S3	4	(709/203,207.ccls. and (management adj information)) and (data near5 compatible)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/07/11 09:34
S2	78	709/203,207.ccls. and (management adj information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/07/11 09:33